

	Type	Hits	Search Text	DBs
1	BRS	27	((HAIM) near2 (WEISSMAN)).INV.	US-PGPUB; USPAT
2	BRS	2370	S2 or S3 or S4 or S5 or S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	479	455/7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	583	455/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	0	455/11/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	893	455/11.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	600	455/13.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	105	S7 and (diversity with antenna\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	6	S8 and (different with region)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	244	S7 and ((first second) with path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	5	S11 and (different with (region area))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	33	S8 and ((first second) with path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	3	S8 and (reverse adj diversity adj signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	130	((rf (radio adj frequency) (radio- frequency)) near3 repeater).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	3	S8 and (reverse adj main adj signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	1	S15 and (diversity with antenna\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	2449	455/550.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	233	S17 and (closed with position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	0	S17 and ((closed with position) with (speed with dial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	0	S17 and ((closed with position) with (speedy with dial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	0	S17 and ((closed with position) same (speed with dial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	12	S17 and ((closed with position) same ((speed initiat\$3) with (dail key call)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	2	S17 and ((closed with position) with ((speed initiat\$3) with (dail key call)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	114	((closed with position) with ((speed initiat\$3) with (dail key call)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	8	S24 and "455"/\$4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	191	((closed with (position state mode)) with ((speed initiat\$3 outgoing) with (dail key call)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors	Ref #
1	2007/03/27 16:27				S1
2	2007/03/27 16:30				S7
3	2007/03/27 16:28				S2
4	2007/03/27 16:29				S5
5	2007/03/27 16:28				S3
6	2007/03/27 16:29				S4
7	2007/03/27 16:29				S6
8	2007/03/27 17:24				S8
9	2007/03/27 16:31				S9
10	2007/03/27 16:33				S10
11	2007/03/27 17:00				S12
12	2007/03/27 16:57				S11
13	2007/03/27 17:21				S13
14	2007/03/27 17:24				S15
15	2007/03/27 17:21				S14
16	2007/03/27 17:24				S16
17	2007/03/29 14:55				S17
18	2007/03/29 14:56				S18
19	2007/03/29 14:56				S19
20	2007/03/29 14:57				S20
21	2007/03/29 14:57				S21
22	2007/03/29 15:05				S22
23	2007/03/29 15:07				S23
24	2007/03/29 15:10				S24
25	2007/03/29 15:11				S25
26	2007/03/29 15:11				S26

	Type	Hits	Search Text	DBs
27	BRS	3	S26 and (speed near3 dial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	16	S26 and "455"/\$4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	12	S29 and ((closed near3 (position state mode)) with initiat\$4 with call)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	145293	((mobile wireless cellular) near3 (device telephone terminal station unit)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	20	S29 and ((closed near3 (position state mode)) with (initiat\$4 dial\$4 send\$3 transmit\$4) with call)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	IS&R	4	((("20040198437") or ("20010049296")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	155958	((mobile wireless cellular) near3 (device telephone terminal station unit)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	21	S33 and ((closed near3 (position state mode)) with (initiat\$4 dial\$4 send\$3 transmit\$4) with call)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	1	S34 and duplex	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	30	S33 and ((closed near3 (position state mode)) and duplex)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	2	((DOUG) near2 (BREMS)).INV.	US-PGPUB; USPAT
38	BRS	16	((DAVID) near2 (SCHUMANN)).INV.	US-PGPUB; USPAT
39	BRS	16	S37 OR S38	US-PGPUB; USPAT

	Time Stamp	Comments	Error Definition	Errors	Ref #
27	2007/03/29 15:19				S28
28	2007/03/29 15:18				S27
29	2007/03/29 16:55				S30
30	2007/03/30 09:26				S29
31	2007/03/30 09:27				S31
32	2007/03/30 09:25				S32
33	2007/03/30 09:26				S33
34	2007/03/30 09:28				S34
35	2007/03/30 09:28				S35
36	2007/03/30 09:29				S36
37	2007/03/30 13:36				S37
38	2007/03/30 13:37				S38
39	2007/03/30 13:37				S39